





serrande ad impacco

XL PACKING ROLLING GRILLES



CONEGLIANO SERRAMENTI s.r.l.

serranda ad impacco superiore

Conegliano Serramenti has designed the new Rolling grille for big applications (like those for supermarket in shopping centers). Given the particular modular structure, it is possible to protect openings of more than 40mt width.

All rolling shutters are equipped with high-power side motors, installed directly on the shaft or chain-driven, with "dead-man's" operation and equipped with safety devices, according to current regulations.

The roll-up system patented by us (1-2) is implemented by means of high-strength steel belts that provide durability and reliability over time.

The peculiarity and resistance of the belts guarantee a high degree of safety and resistance to burglary, in addition to operate as an anti-drop element for the mantle. The mantle is made of thick rods and tubes reinforced in high-stress points. The shaped lateral guides ensure a smooth operation and a tight endurance of the Rolling grille (3).



La **Conegliano Serramenti** ha interamente progettato e realizzato la nuova serranda tubolare ad impacco superiore per applicazioni su grandi luci (tipo quelle che possiamo trovare all'interno dei centri commerciali per chiusura casse supermercato). Data la particolarità costruttiva modulare si possono coprire luci molto grandi, anche di 40 mt.

Tutte le serrande sono complete di motoriduttore ad elevata potenza a presa diretta sull'albero o tramite rinvio a catena, il funzionamento è a "uomo presente" e sono dotate di dispositivi anticaduta secondo normativa in vigore.

Il sistema di sollevamento da noi brevettato (1-2), è attuato tramite cinghie in acciaio armonico ad elevata resistenza che garantiscono durata ed affidabilità nel tempo.

La particolarità e la resistenza delle cinghie garantiscono un elevato grado di sicurezza all'effrazione e allo scasso e fungono da elemento anticaduta del manto. Il manto è realizzato con biellotte e tubolari di elevato spessore e rinforzati nei punti maggiormente sollecitati. Alle estremità troviamo delle guide appositamente pressopiegate che garantiscono un corretto svolgimento ed una precisa tenuta (3).



CONEGLIANO SERRAMENTI s.r.l.



CONEGLIANO SERRAMENTI s.r.l.

*Via Campolongo, 1/D - Zona Industriale Ramera
31010 Mareno di Piave (TV) - Italy
Tel. 0438.4985 - Fax 0438.492362*

www.coneglianoserramenti.com - e.mail: cancelli@coneglianoserramenti.it - serrande@coneglianoserramenti.it