

WINDOWED SHUTTER


Description

The shutter is composed by 77 mm elements clamped together with windows dimensions 80x32 mm step 20 mm and transparent plexiglass on request.

Vertical sliding with upper roll up.

Lateral gasketstops in nylon and bottom part in extruded aluminium with gasket. The shutter is supplied completely assembled.

Availability of many RAL colors or anodized.

Conform to the norm UNI EN 13241-1 

The subject shutters to the action of the wind, for instance in the case of façade installation, they must have the Class 2 conforming with the EN 12424.



Characteristics and materials

Material	Extruded Aluminium profile	
Strip thickness	[mm]	2,00
Element thickness	[mm]	19,00
Weight	[kg/m ²]	11,40
Max. width	[m]	6000
Spaces of use	Shops - Various	

Dimensions


The values are approximates. For specific details contact our Technical Department.

H Height	B – Roll Diameter																	
	Spring shaft									Octagonal Shaft D. 70 with adaptor D. 133								
4000	370	370	370	370	370	370	400	400	400	400	350	350	350	350	-	-	-	-
3500	360	360	360	360	360	360	390	390	390	390	330	330	330	330	-	-	-	-
3000	350	350	350	350	350	350	380	380	380	380	315	315	315	315	315	-	-	-
2500	335	335	335	335	335	335	365	365	365	365	305	305	305	305	305	305	305	-
2000	310	310	310	310	310	310	350	350	350	350	280	280	280	280	280	280	280	280
	1500	2000	2500	3000	3500	4000	4500	5000	5500	6000	1500	2000	2500	3000	3500	4000	4500	5000
	L – Width of the opening																	



Sliding guides


U aluminium guides with gaskets
 - 40 x 36 x 40
 - 60 x 36 x 60



Accessories


Top and lid

1. Front panel
2. Carter composed by front panel, front upper and pair carter clips
3. Carter with removable front panel
4. External lid in galvanized sheet



Automation

1. Manual operation for shaft with spring
Round shaft Ø 48 – 60 – 76 – 89 – 101
2. Tubular motor
Octagonal shaft L. 70
3. Forza motor
Octagonal shaft L. 70 – 102



Finishing

Standard painting

1000	Green beige	7004	Signal grey	8017	Chocolate brown
1001	Beige	7016	Anthracite grey	8019	Grey brown
1013	Oyster white	7021	Black grey	8024	Beige brown
1015	Light Ivory	7024	Graphite grey	9001	Cream
6005	Moss green	7040	Window grey	9002	Grey white
6009	Fir green	7046	Telegrey 2	9005	Jet black
6015	Black olive	7047	Telegrey 4	9010	Pure white
6019	Pastel green	8004	Copper brown	9011	Graphite black
6023	Mint green	8011	Nut brown	9016	Traffic white
7000	Squirrel grey	8014	Sepia brown		
7001	Silver grey	8016	Mahogany brown		


Special colours

RAL 9006	RAL 9006
RAL colours not included in Standard painting	RAL colours not included in Standard painting
White: Marble (smooth) – Ancient marble (rough)	White: Marble (smooth) – Ancient marble (rough)
Grey: Marble (smooth) - Ancient marble (rough)	Grey: Marble (smooth) - Ancient marble (rough)
Brown: Marble (smooth) – Ancient Marble (rough)	Brown: Marble (smooth) – Ancient Marble (rough)
Green: Marble (smooth) – Ancient Marble (rough)	Green: Marble (smooth) – Ancient Marble (rough)
Red: Marble (smooth)	Red: Marble (smooth)


Oxidation

F01	F02	F03	F04	F05	F06	F07	F08	F09	F10	F11	F12


The complete range of rolling shutter



Blank P.115




Micro-perforated P.115




Blank P.97




Micro-perforated P.97




Blank P.73




Micro-perforated P.73




Tubular P.120




Tubular P.95




Tubular P.60



Tubonda




Tondino




Insulated DP.77




Insulated DP.105



Insulated F.100



Insulated F.140



Windowed



Details and images in this leaflet are not binding.
Conegliano Serramenti s.r.l. reserve the right to modify them without notice at any time.

Conegliano Serramenti S.r.l

Via Campolongo 1/E Loc.Ramera Z.I. / 31010 Mareno di Piave – Treviso - Italy

Tel: +39 0438.4985 Fax: +39 0438.498540 / Web site: www.coneglianoserramenti.it www.forza-motion.com

P.I. e C.F.: 00532460268- N.Reg.Imp.di TV 8758 / Capitale Sociale i.v.: € 78.000,00 – Capitale esistente al 31.12.15 € 78.000,00i.v.